

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	633	717/124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 07:35
S2	633	717/124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:12
S4	132	717/124 and (programmable or reconfigurable or re-configurable or fpga) and (test\$3 or debug\$4 or simulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:16
S5	88	717/124 and (programmable or reconfigurable or re-configurable or fpga) and (test\$3 or debug\$4 or simulat\$3) and plurality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:16
S6	3	717/124 and (programmable or reconfigurable or re-configurable or fpga) and (test\$3 or debug\$4 or simulat\$3) and ( plurality near5 hardware or hard-ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:23
S7	2	debug\$4 near3 (embedded adj program) and (programmable or reconfiguarble or re-configurable or fpga or eeprom or eprom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:26
S8	5	debug\$4 near3 (hardware adj configuration) and (programmable or reconfiguarble or re-configurable or fpga or eeprom or eprom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:29
S9	6	("6226776" "6009256" "6219628").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:29
S10	7	("5197016"   "5437037"   "5493507"   "5530843"   "5603043"   "5748488"   "5953519").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 16:31
S11	33	("5493507").URPN.	USPAT	OR	OFF	2004/12/02 16:40
S12	1	("6298453").URPN.	USPAT	OR	OFF	2004/12/02 16:52
S13	19	("6052524").URPN.	USPAT	OR	OFF	2004/12/02 17:15

S14	6934	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:37
S15	833	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:50
S16	3	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 717/???	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:45
S17	0	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 716/???	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:39
S18	2	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 712/???	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:50
S19	15	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 714/???	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:40
S20	0	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 703/???	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:40

S21	30	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and (hardware adj configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:42
S22	969	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor and ( (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) near3 (sensor or peripheral or hardware or attached or remote) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:49
S23	9	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor and ( (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) near3 (sensor or peripheral or hardware or attached or remote) ) and 717/???	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:45
S24	954	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor and ( (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) near3 (sensor or peripheral or hardware or attached or remote) ) not ( (national and instruments).as. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:49
S25	824	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) not ( (national and instruments).as. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 07:50
S26	9	("6107821"   "6247147"   "6311316"   "6366117"   "6453456"   "6456961"   "6460148"   "6530071"   "6598178").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/06 10:27
S27	4	test adj (feed-through)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 08:31

S28	1	"5603043".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 08:32
S29	40	("5603043").URPN.	USPAT	OR	OFF	2004/12/07 08:32
S30	34	("5603043").URPN. not ((national and instrument).as. )	USPAT	OR	ON	2004/12/07 08:52
S31	1711	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same ( (data adj collector) or measurement or metric or meta-data or (meta adj data) ) and (debug\$4 or test\$3 or verify or verification or validify or validification or co-verification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 08:54
S32	539	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same ( (data adj collector) or measurement or metric or meta-data or (meta adj data) ) same (debug\$4 or test\$3 or verify or verification or validify or validification or co-verification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 08:55
S33	154	717/124 and (programmable or reconfigurable or re-configurable or fpga)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 08:56
S34	4	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same ( (data adj collector) or measurement or metric or meta-data or (meta adj data) ) same (debug\$4 or test\$3 or verify or verification or validify or validification or co-verification) and 717/??? not ((national adj instrument).as. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:33
S35	40	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same ( (data adj collector) or measurement or metric or meta-data or (meta adj data) ) same (debug\$4 or test\$3 or verify or verification or validify or validification or co-verification) and 714/??? not ((national adj instrument).as. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:34

S36	1	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same ( (data adj collector) or measurement or metric or meta-data or (meta adj data) ) same (debug\$4 or test\$3 or verify or verification or validify or validification or co-verification) and 716/??? not ((national adj instrument).as. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:41
S37	671	716/3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:41
S38	2231	716/4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:42
S39	730	716/16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:42
S40	826	716/17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:42
S41	1255	716/18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:42
S42	0	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same sensor same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 716/3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:44
S43	56	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 716/3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:44

S44	183	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 716/4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:44
S45	208	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 716/16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:44
S46	138	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 716/17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:44
S47	113	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 716/18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:48
S48	56	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 716/3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:48
S49	110	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 714/25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:48
S50	57	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 714/33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:48
S51	58	(reconfigurable or reprogrammable or re-programmable or eeprom or eprom or fpga) same (test\$3 or debug\$4 or verify or verification or analysis or analyz\$5) and 714/39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:49

S52	33	"feed-through configuration" or "test feed-through" or "test feed through"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:26
S53	2	"5603034".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:27
S54	2	"5603043".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:28